

AVIATION

The Oldest American Aeronautical Magazine

NOVEMBER 30, 1925

Issued Weekly

PRICE 10 CENTS



A Wonderful Airplane Picture, Whether Taken from the Air or Not

(C) Alfred G. Buckham

VOLUME
XIX

SPECIAL FEATURES

NUMBER
22

THE MITCHELL COURT MARTIAL
DESIGNING ENGINES INTO AIRPLANES
H'ODD LUGGAGE—CY CALDWELL

GARDNER PUBLISHING CO., INC.
HIGHLAND, N. Y.
225 FOURTH AVENUE, NEW YORK

Entered as Second-Class Matter, Nov. 22, 1920, at the Post Office at Highland, N. Y.
under Act of March 3, 1879.

SPEED WITH SAFETY

CURTISS-REED METAL PROPELLERS AT THE PULITZER RACES

Total number of planes in race	85
Planes equipped with Curtiss-Read propellers	10
Planes equipped with other metal propellers	13
Planes equipped with wooden propellers	23
	85 85

Six out of nine winners, including the On-to-New York and Model Races, were Curtiss-Reads.

Every plane in the two high-speed races used these propellers.

At the Schneider Cup Races, Baltimore, all entries with the exception of the Italians used Reed metal propellers. All the world's speed records for straightaway or closed courses, land and seaplane, were made with Reed duralumin propellers.

The above record proves conclusively that for high performance the metal propeller has no equal. And not only is it superior for racing, but is equally efficient and necessary for commercial flying.

Mr. Walter H. Borch, Vice President and General Manager of Travel Air, Inc., Wichita, Kansas, writes:

"In regard to wood, metal propellers in standard equipment we are doing first on all standard planes, and have this as the rule of preference."

Mr. J. M. Moellendick, President, Sunbeam Airplane Manufacturing Company, Wichita, Kansas, writes:

"I want to congratulate you on your metal propeller which I had the pleasure of demonstrating on my recent tour from Wichita to Denver, Michigan and from Detroit to Long Island, New York."

"I had a close account on the gasoline that we used from Wichita to Detroit a distance of 300 miles the route we took, and from Detroit to New York, over 500 miles. I found that we made the trip in 17% less gasoline with the metal propeller than with the wooden one. As we have made this route several times in the last four years I had a good opportunity to make the test."

"There is no comparison between the metal and wooden propeller when it comes to difficult flying through rain and bad weather etc. From now on I am later and out for the Metal Propeller."

J. D. Hill, veteran pilot of the Air Mail Service, which uses Curtiss-Read propellers as standard equipment, says:

"We no longer consider them as metal propellers—they are just propellers."

Record performance, high factor of safety, long life make the metal propeller the most economical investment for every kind of airplane operation.

Specifications and prices gladly furnished for any combination of machine and motor

Curtiss Aeroplane & Motor Company, Inc.
GARDEN CITY, N. Y.

MANUFACTURERS AND DISTRIBUTORS OF CURTISS-REED PROPELLERS



Please Write to Advertiser, Please Mention ADVERTISOR

G. D. GLENN
PRESIDENT
E. A. D. O'NEILL
VICE PRESIDENT
L. D. WILSON
TREASURER
GEORGE NEWELL
MANAGING EDITOR

AVIATION

VOL. XXIX

NOVEMBER 30, 1925

No. 22

Aeronautical Investors

THESE 15 are elements in the development of aerial transportation on which it is so hard to gather data that it has been largely overlooked, and this is the number of investors, who have already put their money into aircraft ventures. As there have been few air transport lines established in this country it is commonly supposed that the American public has not yet put money into flying enterprises. The case is, in reality, quite the contrary, there being probably no country in the world where so much money has been put into commercial flying.

Throughout the country, from Illinois to California, no-where have been promoted their friends to look them in buying one or two planes. Some of the firms have made good while others fell by the wayside and, though it is impossible to tell how much has been invested in this way, the figure undoubtedly runs into very large sums. In almost every town someone or someone's friend has put money into an aeronautical venture and this money has been of very real service in establishing the very considerable amount of commercial aviation which exists in this country. Viewed in general, the aeronautical investments of these financial people have not been successful and it is difficult to realize the number of people who have their pockets against putting money into aviation on their own personal experience or the experience of their friends.

The situation has been further aggravated by the inexperienced business methods of many firms and by the stockholders, who are great possibilities in the future, but so on the ground floor of a new industry. However, there are many aeronautical failures and flying services that have grown to substantial size, largely from savings and, with the sounder business methods, which have come through experience, there will be many more.

An American Lightplane Engine

A MOST significant development, from the standpoint of the lightplane movement, is the announcement, of the fact that the long awaited Moench engine is to be manufactured and placed on the market by the Wright Aeronautical Corporation. As stated in the announcement, the terms of the engine were completed over a year ago, but, with the engine manufacturer furnished enough to undertake the marketing of this much needed engine, the field remained open another year. At the Dayton Air Races last year, the need for a light low powered airplane engine was very pronounced, all of the adapted motorcycle engines used by contestants in the light plane races, performing in a most miserable manner. This year at Minnetonka Field the agency of the demand for an

W. LAMARCA LAPEYRE
EDITOR
M. W. ROYCE
MANAGING EDITOR
WILLIAM H. CLARK
EDWARD P. WATSON
RALPH H. SHAW

American lightplane engine became so great that it was necessary to look ahead for the needed reliable power plant. The Bristol "Church" engine in the "Forest" lightplane undoubtedly filled this need, but only to further emphasize the lack of such an engine as an American built product.

The Moench engine has not as yet made its public appearance, but the reported details of the test through which it has satisfactorily passed, together with the fact that the production of the engine is to have the backing of as real an enterprise as that of the Wright Aeronautical Corporation, remove the criticisms of the Moench engine and the mistakes with which lightplane builders may set their minds to designing planes around this little power plant, in preparation for next year's lightplane season.

A Manufacturing Opportunity

ONE OF THE most interesting facts of recent years has been the development of what might almost be termed a standard type of airplane. Reference is made to the airplane built around the OX engine. The number of these planes is so, we are considerably that it was to be expected that some engine manufacturer would have built a commercial engine of about the same horsepower. It takes several years to develop and to place on the market any new engine and by that time the stock of older OX engines will be exhausted. In the meantime there would probably be many who would install the more efficient power plant, in spite of the higher price, in order to get a plane with better performance.

Obviously enough several manufacturers are placing commercial engines of considerably lower horsepower on the market. There is undoubtedly a field for a two place plane of under 80 hp but at present there are so few planes of this type in this country that there is practically no call for immediate delivery of engines of this power. In Europe there are many planes of this type, such as the "Fuscar" "Sper" and the "Harvard" "Moth". They are reasonably cheap to build and the license, maintenance and operating costs are proportionately low. As one of the important items in the sale of planes, it would seem that there was a real opportunity for some American airplane manufacturer to tackle the problem in a serious way.

It is, of course, possible to build a three, or even a four place plane around an engine of under 80 hp, but the performance would probably not be sufficient to make the machine popular. The two place plane is the most popular type. It can be used to considerable advantage for training purposes, for private owners and for certain kinds of photographic observation work. It could act, of course, replace the larger types but at almost every field, such a plane would furnish many requirements.

may want to suit a certain line, Captain Hakenbacker said that he had flown 360 hours over enemy territory and that enemy anti-aircraft fire had never prevented him from carrying out his mission. They offered no protest. He said he knew of no enemy aircraft that down by American guns, and that the only American flyer, who he knew of as having been shot down, was Lucet Hamilton Goodrich, who, he thought, was brought down as a result of an American barrage.

Deaths Anti-Aircraft Records

Major Wiley, for the prosecution, asked both Captain Hakenbacker and Major Chambers, who was on the witness stand later, if they were aware that out of 528 shots fired by the 5th anti-aircraft battery during the war, one enemy plane was brought down, and that out of 3,114 shots fired by the 2nd battery, two planes were brought down. He also pointed out that these shots can be found at the rate of 685 to ten minutes. Both Captain Hakenbacker and Major Chambers turned these figures "outwardly" the former saying "I would not be surprised at anything the official records show." Captain Hakenbacker added to the dark view of American aviation when he said that the United States ranked eighth in air power and that the countries ahead of her were in the order: France, England, Italy, Germany, Russia, Japan and Poland.

Hawaii Flight Operations Criticized

Lieutenant Wade, of the Western clerk, criticized the Hawaiian flight operations, mainly on the point of the number of errors entered on the planes. He asserted that there should have been two men aboard each plane and that they should have had proper training for observing their bearings instead of radio. Under cross-examination by Major Ogden, Lieutenant Wade said that the round the world flyers (he presumed)

by every case were committed by the Navy before any decision was made affecting the flight and that the attitude of the Navy was one of co-operation.

Langley in the Hawaiian Museum

Lieut. H. W. Sheriden, who was the last witness called, was particularly severe in his indictment of naval aviation. Lieutenant Sheriden was the Army observer on board the aircraft carrier "Langley" of the Hawaiian maneuvers. In answer to a question put by the field as to whether, in the maneuvers, the Langley stood up with the fleet, Lieutenant Sheriden asserted: "No, the fleet stayed back with the Langley." The cross-examination of Lieutenant Sheriden was resumed until the following day and the remainder of the afternoon was devoted to the witness of shipboard, mostly from accounts in foreign countries, brought in to support Colonel Mitchell's charges regarding the relative strength of the American Air Service.

Testimony Held Valid

On the following day, with the conclusion of the defense testimony through the many witnesses which had been heard, another phase in the court martial proceedings was drawn to a close. The prosecution, in cross-examining Lieutenant Sheriden, was unsuccessful in its attempt to strike the main testimony of this witness out of the record on the grounds that he did not know "what he was talking about." Lieutenant Sheriden had made his observations on the Hawaiian maneuvers as an eye-witness and the fact that he was an army officer instead of a naval man was ruled to have no weight in proving the validity of his testimony.

The next afternoon, Monday, Nov. 23, when Colonel Mitchell himself takes the witness stand under the cross-examination of the prosecution.

The Aeronautical Chamber of Commerce

Officers for the Year 1925-26 Elected at Annual Meeting of the Board of Governors



Charles L. Coffey




Thomas H. Haff



Paul Hueston



William C. Young




Thomas M. Fairchild

OFFICERS 1925-26

Aeronautical Chamber of Commerce

President—Charles L. Coffey, President, Wright Aeronautical Corp.
Vice President—Thomas H. Haff, Pres. Haff, Island & Co., Inc.
Sec. Vice President—Ed. Fred. Henderson, National Air Transport, Inc.
Treasurer—William C. Young, Pres. National Air Transport, Inc., New York City.
Secretary—H. H. Young, Hartford The & Radio Co., Hartford, Conn.
Asst. Treasurer and Genl. Manager—H. H. Young, Hartford The & Radio Co., Hartford, Conn.
Asst. Secretary—Oscar A. Mottishaw



The above map shows properly the air and water of the United States actually in its actual today. The map not only shows the route of the Post Office Air Mail Service connecting New York and San Francisco but also the various routes which have been established as yet only authorized. The line routes, however, for which were recently closed will be seen on the map. They are: Boston-New York, Chicago-St. Louis, Chicago-Dallas, Salt Lake City-Los Angeles and El Paso-Pasco.

Aviation Conditions in Honduras

AVIATION is in receipt of a long and most illuminating letter from Mr. T. G. Pons of Tegucigalpa, Honduras. The letter is in reply to an article in a July number of AVIATION which painted conditions in Honduras in most dreary colors. Pons, on the contrary, has found conditions much more satisfactory. His views were leading facts which can be used and which that, whereas along the North Coast, from Puerto Cortes toward the East, the conditions for forced landings are far from favorable, once over the range of central mountains, there are many natural harbors and landing, quite from from from. Mr. Pons has had several forced landings and has always found the natives most willing to be helpful and hospitable.

As was pointed out in the previous article, traveling by established methods in Honduras is not always easy and there are many places where air transportation would be cheaper and certainly much faster than transportation by automobile, motor launch and mule. From the point of view of aviation supplies, conditions are rather different and are not only met by the adequate organization of the exporting company.

Japan to Italy Flight Progresses

Comdr. Francesco Di Piccolo arrived at Naples, Italy, from Rome, Italy, on his return flight from Japan in Italy, on Nov. 4. The flight is to be continued shortly.

Designing Engines Into Airplanes

By COL. J. G. VINCENT

Purdue Motor Car Company

FOR YEARS we have been reading of how this and that airplane was designed around this or that engine and

that was necessary so because the airplane designer was limited in his choice of engines, there being perhaps only one engine of the desired output, available. This situation is rapidly changing and there are now quite a variety of engines in each power class either in production or well along in the development stage.

For example, in the 480-500 hp. class, which represents the size most in demand at the present time, there exist twelve cylinder Vee type water cooled direct drive engines, the same engines provided with a gear reduction to the propeller, star engines designed to run in the inverted position, twelve cylinder W type water cooled engines with and without gear train, two cylinder air cooled radial engines and twelve cylinder Vee type air cooled engines, in both the upright and inverted positions.

A review of this list of engine types indicates that the airplane designer has considerable latitude in his choice of a power plant and it is quite reasonable to suppose that he will have the choice of power plant which best fits into his airplane rather than design a plane around some particular engine.



Col. J. G. Vincent

In a summary, he is merely following in the footsteps of the automobile designer, who twenty years ago, was faced in design for his motorized cars with a few years later was able to choose an engine which best fitted into his car. For example, the old horizontal single cylinder and two cylinder opposed engines, could only be located with the cylinders in a fore and aft line on the chassis and the engine had to be incorporated in the best available frame. Later, four, six and eight cylinder in line engines were evolved and during the last decade we have all seen how well these engines can be adapted to attractive, streamlined automobiles. Undoubtedly a somewhat similar trend of effort will be observed in airplane design. Unlike the automobile development, however, opposition will not dictate new designs but performance and safety. If two airplanes have the same carrying capacity and the same landing speed and employ the same size of power plant and one has higher speed and a

better climb than the other, there is no question as to which will be the most successful. Furthermore, if one plane has a well and has excellent vision, whereas the other has had blind spots, there is no question as to which will be favored by the pilot.

These remarks might be interpreted as being merely guesses, but the fact remains that there are many examples of up-to-date planes which have radically different performance, in spite of the fact that they are equipped with similar engines, some engine wing spread and similar load capacity.

One influence, which brings this about, is undoubtedly the factor of propulsive efficiency, which has evidently not been given the recognition by many airplane designers in the past. That propulsive efficiency of the motorized line area, which is enabled by the forward end of the fuselage, exerts a very noticeable influence on the performance of the plane. Here again, it is self evident that and yet it was not so very long ago that designers considered that the forward end of the fuselage exerted little influence on the performance of the plane.

Importance of Vision

However, an even more important consideration will undoubtedly, in the future, dictate the design of the nose of a single engine tractor, pusher and fan in the question of vision. With few planes in the air and so large projected fields carefully polished to avoid obstructions, there has not been felt in the past the very pronounced need for good vision for the pilot, which undoubtedly will be demanded in the future. The fact that, as the average plane, the pilot is faced with a field ahead open directly ahead and below in aid of such recognition when the chances of his colliding with another plane are as vague as they are today.

We must, however, confess about commercial aviation and feel about this of airplane in the air, a somewhat different view than the same here, giving utmost consideration to the very important point of securing better vision for the pilot. We cannot think of plane development very few years ago, after considerable flying fields, without also realizing that the pilot must be able, at all times, to survey the field directly ahead of him and avoid collisions with other planes or objects on the field.

Air and Water Cooled Engines

Taking the above explanation of good airplane performance and excellent vision requirements into account, it is evident that the time is rapidly approaching, when the airplane designer will begin to not around fan engine types, which tend themselves particularly well to meeting these requirements.

Engines are actually divided today into two classes—air cooled and water cooled. It would appear that the air cooled engine of various types are in early in the development stage to warrant a very positive discussion as to which type leads and best to the average single engine line engine installation. Until the several different types in the development stage of present, are brought to a more highly developed stage, it would appear futile to speculate as to which form of construction of air cooled engines will ultimately predominate.

No such hesitations, however, will be exhibited in selecting the most promising type of water cooled engine, since these engines have seemed at a fairly well advanced stage of development.

Six General Water Cooled Types

Assuming that this discussion centers around engines developing between 480 and 500 hp., which apparently represents the most active field at the present time, there are about six general types of line class of engines to choose from. These




FIG. 1

are all of the 12-cylinder variety and are listed as follows:

- Twelve cylinder Vee upright direct drive,
- Twelve cylinder Vee inverted direct drive,
- Twelve cylinder Vee upright geared,
- Twelve cylinder Vee inverted geared,
- Twelve cylinder W upright direct drive,
- Twelve cylinder W upright geared.

Geared or Direct Drive

The first consideration, which the designer faces in his choice of power plant, lies in the question of geared versus direct drive engines. It has lately been shown that, for maximum overall efficiency, a propeller speed of about 10 spm. is just about best, at least, at present. Therefore, if the specification for the plane speed call for 100 m.p.h., a propeller speed of about 1000 spm. is desired. An engine speed of 1000 rpm., however, is considered altogether too slow for an engine of around 400 to 500 horsepower, so that a comparatively slow speed engine would have to be very bulky and heavy to develop its output at this speed. With such an engine design, therefore, a geared engine is almost essential, if a high degree of efficiency in weight and a propeller speed ranging of 5 to 8 or from 500 to 2000 rpm. and 2000 rpm. respectively.

Having decided on a geared engine, the next thing would be to decide as to what kind of gearing should be employed and as to how the gearing should be arranged. There are two forms of successful gearing in use today, the one being

the spur type in which the propeller axis is concentric with the crankshaft axis, and the other being the spur gear type in which these two axes are displaced relative to each other.

As the slow speed propeller shows its maximum efficiency with the comparatively slow speed airplane, it must necessarily be of large diameter and it is naturally follows that it is advantageous to have the propeller shaft center as high as possible from the ground, to obtain the maximum propeller tip clearance with a minimum height of landing gear. Accordingly, the spur gear type of installation would naturally be chosen and the arrangement of cylinders, which would offer the best streamline form for the nose of the machine, would naturally be having the upright Vee or W type. Which of these types would be preferable, would depend upon many considerations. The Vee type is generally simpler and more conservative, whereas the W type is slightly simpler and more compact but considerably less flexible.

Advantages of Geared Drive

In figure 2, there is shown diagrammatically the possibilities of the type of engine, as compared with the direct drive form shown in figure 1, and the suggested streamlining and for better vision of the geared engine installation, are undoubtedly apparent. The aerodynamic advantages of the slow speed geared propeller axis, of course, not appeared from a perspective of the drawings, but they are well recognized by those conversant with latest developments along these lines.




FIG. 2

It might be of interest to recall here that the Hispan 2500 airplanes have been fitted off the water, with a total load of 9½ tons, to two Packard 500 hp. geared engines. This represents fully 1-3 tons dead weight that could be raised from the water by direct drive engines.

Engines for Patrol Types

Referring now to the question of high speed planes, such as the Albat and Navy Pursuit type, it will be seen that consideration of the most efficient propeller speed, so largely necessary calls for great practicalities. Assuming an air speed of 200 m.p.h. is desired, this would correspond to a propeller turning about 2000 r.p.m., which would represent a satisfactory crankshaft speed for the size of engine under consideration. The choice would then be between a direct drive upright and a direct drive inverted engine.




FIG. 3

A comparison between figures 3 and 1 shows conclusively that the inverted engine is far superior to the upright in respect to required downloading into the fuselage, as well as more nearly meeting vital weight requirements for the pilot. This latter consideration is, of course, of vital engine importance with the higher speed planes, especially of sailing type and the inverted engine possesses still further advantages in its favor for use in high speed planes for military purposes.

The high position at the thrust arm in the case of the inverted type relative to the upright type, gives a further advantage by doing away with the undesirable thrust angle, which becomes noticeable between the "power off" and "power on" conditions. This becomes especially important at cruising speeds and in military combat types, which require frequent constant maneuvering. With a direct run, some nearly constant is the position of the center of gravity and the center of resistance, a fact which means a direct for the above mentioned "power-off" and "power-on" conditions, and as a result, the elevator stick control forces are reduced. This feature obviates the necessity for adjusting the flap and air flow of the airplane by means of the inhibitor trimming gear.

The evaluation, due to their low position on the engine, make a gravity feed fuel system possible, thus eliminating the complexity and danger of pressure fuel systems. Furthermore, as the case of the inverted type, a greater degree of accessibility around the cylinder heads is desired, and inspection is rendered easier for the mechanic at the field.

The exhaust manifolds, being low down, discharge the exhaust gases to the rear without entering the pilot, and the flow of the exhaust does not exert the blinding influence as the engine is kept flying, as would the exhaust manifolds of an upright engine.

The vision advantage in the case of the inverted engine installation is further borne out by the fact that the top part, projected by the fuselage nose, is reduced as a vision barrier. With the upright engine installation, the width across the cylinder heads in the case of the 2500 installation is approximately 30" to 30", depending upon the degree of cooling desired necessary in a particular design, while, in the inverted position, the width of the fuselage at the top would be approximately 12" to 15". The width of the fuselage through the engine compartment, would, in the ideal case,—with an inverted 2500 installation,—be of an inverted keystone shape. This would allow the pilot to view a greater inherent mass of vision forward in a more positive of the eye, without any maneuvering in the cockpit for visibility advantage in landing, spotting other aircraft, or in combat.

In regard to taken, the following table, which indicates the

comparative vision possibilities at the three planes shown in the sketches, has been prepared.

It will be noted that, in the case of the geared engine, the pilot's line of vision strikes the ground when leveling off just previous to landing about one-half the distance from the pilot, as compared with the distance when using the direct drive engine. On the other hand, the inverted engine decreases this distance by about two-thirds, thereby increasing not only the desirable feature in connection with the inverted engine.

COMPARATIVE ANGLES OF VISION IN LEVEL FLIGHT

Angle of vision from line of thrust	1000 RPM	1500 RPM	2000 RPM
Direct Drive	15.4°	10.2°	7.5°

At low of vision with geared type 1000 1500 2000 RPM

Summing up, it would appear that the present trend of airplane design should favor the adoption of twelve cylinder spread ground water cooled engines for heavy duty conventional slow speed planes, and, for fast single section, the twelve cylinder inverted water cooled direct drive engines also interesting possibilities.

In evaluating this difference in water cooled engines, there has been so much made to dispense the attainment of air cooled engines, but it has been recognized that the water cooled engine has reached a stage of development, where so far judged in conventional car efforts on these types, which had themselves particularly well to airplane installations, while, in the air model field, it is the one only to abandon any new type in favor of any other type, since the expansion with these engines has not been sufficiently broad to warrant any such action.

The author is indebted to A. V. Verville for his co-operation in the design shown in the illustrations.

CHANCE VOUGHT CORPORATION

AIRCRAFT MANUFACTURERS

THE EXTRAORDINARY VOUGHT MODEL VO AIRPLANES REFLECT THE ART OF THE DESIGNER WHO, IN CLOSE CO-OPERATION WITH THE UNITED STATES NAVY DEPARTMENT, HAS HAD UNTRAMMELED OPPORTUNITY, AND EVERY ENCOURAGEMENT, TO CARRY OUT HIS BEST IDEAS.

THE SPIRIT OF THE ORGANIZATION WHICH BUILDS VOUGHT AIRPLANES IS TO PURSUE AN EVER-ADVANCING STANDARD OF SUPER-EXCELLENCE FOR THESE SPLENDID AIRCRAFT.

LONG ISLAND CITY

53

NEW YORK, U. S. A.

AIRPORTS AND AIRWAYS

Boston, Mass.

By Peter H. Adams

Great interest, both in aviation circles and on the part of the public, is being aroused in Boston by the forthcoming New England Aviation Show, which is to be held in the Museum Building, December 3rd to 5th, as part of the Army and Navy tournament being held there, for the benefit of the Army and Navy Service Club of Boston. Service ships have already been procured and various exhibits of interest will be part of the show. The Wright Company is making up the big Wright Biplane up-transporter ship, which will fly to the Airport, so designated and taken to the show. The Curtiss Company are endeavoring to get, either the Pullman and the Schneider Cup race, set up by the Army, and the Go-Kellogg company is reported as desiring to enter a ship in the show. The Army will, it is rumored, get a late model J5 as the floor and the Navy is entering the TD Vought. Among the other exhibits, will be one sponsored by the Boston Chapter of the National Aeronautics Association and another under the auspices of the Aeronautical Engineering Society of the Massachusetts Institute of Technology.

It is with great regret that we report that Lt. Condr. Noel C. Davis, U. S. N. R., who, for sometime past, has been commanding officer of the Naval Reserve Air Division at Squantum, has been ordered to Washington to take charge of all Naval Reserve Aviation matters in the Bureau of Aeronautics. It is hoped, however, that Davis' assignment at Washington will only be until spring and then, when good flying weather again

arrives in New England, it will find Davis back on the job, where he has made such an excellent record. In the meantime, Lt. Reginald D. Thomas, holder of the Boston Army and Navy trophy for this spring and winner of the 1924 and 1925 East Mountain trophy, will be in command of the division. Thomas is a mostly successful to Davis and an ace in New England, by three examples of safe and sure flying, has done more to convince the public that aviation is not dangerous.

Commander John Rodgers of the PSV, has been in Boston for several days and told the story of the Hawaiian cruise at the Algonquin Club, at a dinner at the Boston City Club, and in the Aeronautical Engineering Society of the Massachusetts Institute of Technology. He flew to Boston with Lieutenant Curtis and left by train last Monday for Washington.

The National Guard has received some new TMB, side-by-side training planes and, so far, report that they like them very much. During the week the National Guard made 16 flights with a total time of 520 minutes, while the Army made 80 flights for a total time of 1415 minutes and the Navy made 37 flights for a total time of 4,003 minutes.

Cy Caldwell has served as a lot of trouble, for we were just about to go over to Harvard University and look up the psychology of the Madocks, but the announcement in the last publisher's news letter of the magazine, has convinced us that any further investigation would be superfluous in view of the fact that such an industry as Cy, is publishing as accurate history of the interesting race.

ALL METAL Planes and Parts

IN THE design and construction of several types of all metal airplanes I have suggested distinctive shapes and methods of fabrication which have materially reduced cost and weight and increased performance and strength.

I AM NOW able to offer to engineers, designers and manufacturers a line of special patented distinctive shapes and design parts to meet their individual requirements such as: pulley brackets, bearing supports, metal seats, doors, control columns, push, switches and drive shafts.

A FAIR learning plan under which a small quantity of any kind of parts could be made up for you is also available.

MY EXPERIENCE and complete engineering-manufacturing facilities are now offered for value or both the design or construction of complete all metal airplanes and airplanes for special military or commercial purposes.

Consultant to the U. S. Navy

CHARLES WARD HALL
155 EAST 42ND ST.,
NEW YORK

If You Write to Advertisers, Please Mention AVIATION

Who's Who in American Aeronautics

PUBLISHED BI-ANNUALLY

THE BLUE BOOK OF AMERICAN AIRMEN

Contains One Thousand Biographies of

Aviators, aeronauts, aeronautical engineers, aircraft manufacturers, flying officers of Army, Navy and Marine Corps, Air Mail personnel, aircraft accessories manufacturers, flying field owners, American aces, aeronautical instructors, inventors, National Guard air officers, aeronautical writers, sportsmen, men prominent in aeronautical affairs.

TWO HUNDRED ILLUSTRATIONS

PRICE — TWO DOLLARS

GARDNER PUBLISHING COMPANY
235 Fourth Ave., New York

Enclosed please find Two Dollars for copy of *Who's Who in American Aeronautics*

Name

Address

City

If You Write to Advertisers, Please Mention AVIATION

TRAVEL AIR



**Scientifically Designed
and built For
Commercial Service**

If the desire of flying is your aim, the only plane of the Travel Air type, the Travel Air, is the one you should choose. It is the most reliable, most comfortable, and most economical of all the planes of its class. It is a plane that will give you the most pleasure and the most safety in flying.

The complete performance of the Travel Air is guaranteed by the Travel Air Corporation. It is the only plane of its class that is built to last.

Get the plane who fly the Travel Air

THE TRAVEL AIR MFG. CO. Inc.
Wichita, Kansas





CALIFORNIA

THE RYAN SCHOOL OF AVIATION
O. H. RYAN, SOLE PROPRIETOR
This school teaches of flying. Very best of planes and equipment.
Specially designed to study alone planes and equipment.
A few hundred dollars will get you the best of flying instruction in the
state. Write for details.

FLORIDA

SMITH-LUDINGTON AIRCRAFT
LUDINGTON AIRCRAFT CO. 1000 N. W. 10th St.
Miami, Fla.
Address: 1000 N. W. 10th St., Miami, Fla.

ILLINOIS

RAE AIRPORT SCHOOL OF AVIATION
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

ILLINOIS

PARTRIDGE, Inc.
Aeronautical Instruction
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

ILLINOIS

CHRYSLER AIRCRAFT COMPANY
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

ILLINOIS

MIDWEST AIRWAYS CORP.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

ILLINOIS

CAMPBELL AIRPLANE CO.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

KANSAS

AVIATION ENGINEERING CO.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

MINNESOTA

BURNS-FLYERS
SCHOOL OF COMMERCIAL AVIATION
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

MINNESOTA

F. & W. AIR SERVICE CO.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

MINNESOTA

WILCOX-LEWIS AIRPLANE CO.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

MISSOURI

PORTERFIELD FLYING SCHOOL
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

FLYING SCHOOL
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

OUTER EXHIBITION COMPANY, GARDEN CITY, N. Y.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

THE SCHOOL OF AVIATION
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

PORT WASHINGTON, LONG ISLAND
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

LEARN FLYING TODAY
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

ESSINGTON SCHOOL OF AVIATION
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

CAN YOU FLY
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

AVIATION ENGINEERING CO.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

SAN ANTONIO AVIATION & MOTOR SCHOOL
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

DIANE McWILLIAMS AIRWAYS, Inc.
1000 N. W. 10th St.
Chicago, Ill.
Write for details.

NEW YORK

CHRYSLER AIRCRAFT COMPANY
1000 N. W. 10th St.
Chicago, Ill.
Write for details.



CHANGE IN PRICE

WITH THE NEXT ISSUE
DECEMBER 7th

THE PRICE OF



will be

15 CENTS

THE YEARLY SUBSCRIPTION PRICE
OF \$4 WILL REMAIN THE SAME.

THE GARDNER PUBLISHING COMPANY
225 FOURTH AVENUE
NEW YORK CITY



WRIGHT-BELLANCA SIX SEATER

Powered With

WRIGHT WHIRLWIND 200 H.P. AIR COOLED ENGINE

138 M. P. H. With 1000 Lbs. Pay Load

Winners of

EFFICIENCY RACE, NEW YORK AIR RACES, 1925

Scoring 50% More Points Than Next Competitor

Wright-Bellanca Planes

With six heavy passengers this 200 H.P. plane makes 138 miles per hour. Its low resistance not only gives speed but also economy and durability. Slow down the engine until it develops only 115 H.P. (55% of its full power) and the plane still has 100 m.p.h. For safety, dependability and economy consider the advantages of a 100 mile per hour cruising speed with 6 passengers (1000 lbs. pay load) and using only 115 H.P. with a reserve of 85 H.P. (over 70% increase) instantly available. The fuel mileage averages 8 mi. per gal. at 100 m.p.h. with 6 passengers. The plane is ruggedly built, weighs 1790 lbs. empty and has high factors of safety throughout. It has good vision, low landing speed, quick take off and good climb. Winner of the Efficiency Race at the New York Air Races 1925 with a score of 602 points, more than 50% higher than the next competitor. For detailed information and complete specifications of the Wright-Bellanca Plane write for Bulletin No. 14.

Orders for Wright-Bellanca planes are being taken now for deliveries early in the spring. The price complete with Whirlwind engine is \$12,000 f.o.b. Paterson.

Wright Whirlwind Engines

To hundreds of pilots the Wright Whirlwind engine needs no racing introduction. They have flown it for years and have seen for themselves the development built into each succeeding model beginning with the Lawrance J-1 and going on to the fifth model the present J-4-A. And the design is not all; during these years our shop has been training and selecting men, improving tools and methods. Hundreds of pilots know the Wright Whirlwinds. Cuban pilots fly it in land planes from Cuba to the Isle of Pines crossing 40 miles of ocean. Canadian pilots fly it to the Hudson Bay country. Peruvian pilots fly it at the Equator. Huff-Daland Dusting pilots flew 14 of them all this season and did not unbox their two spare engines; the Whirlwinds in the Fokker 3 engine 10 passenger airliner finished the Ford Tour with a perfect score and the Navy pilots have flown them all over the world. For detailed specifications of Wright Whirlwind Engines write for Bulletin No. 8.



WRIGHT AERONAUTICAL CORPORATION
Paterson, N. J. U. S. A.



WRIGHT ENGINES